



Fall protection

ELARA110

KITS

Scaffolding fall arrest set, harness and energy absorbing lanyard



Specific benefits



Performance

• Certification above the maximum rated load of 100 kg: product certified at 140 kg



Easy to use

• NFC system guarantees traceability

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance

Certifications and norms



EN355

EN361
140 KG

Protects against risks



Fall



Fall protection

ELARA110

KITS

Scaffolding fall arrest set, harness and energy absorbing lanyard

Standards - Details

Technical details

Type of equipment	"Construction" fall arrester set
This kit contains	1x HAR11MFBE, 1x AN219ZDD
Composition of the main support	Steel, Polyester
Lock	Automatic system
Number of attachment points	1
Anti-fall point	Dorsal
Color	Yellow-Black
Size	S/M/L, XL/XXL
Benefits element	Fall indicator
Lifespan from manufacturing (years)	10
Weight (kg)	2.2
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Restraint, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



Fall protection

ELARA110

KITS

Scaffolding fall arrest set, harness and energy absorbing lanyard

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ELARA110GT	Yellow-Black	S/M/L	ELARA110	3295249240097	13295249240094	10	1	23.3 kg	40.0 cm	60.0 cm	22.0 cm
ELARA110XX	Yellow-Black	XL/XXL	ELARA110	3295249240103	13295249240100	10	1	23.3 kg	40.0 cm	60.0 cm	22.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height