



LV102200

ANCHORAGE DEVICES

Fall protection



Applications

- Agriculture
- Finishing works / Craftsmanship
- Chemical industry
- Automotive
- Oil & Gas (extraction)
- Mining

Certifications and norms



EN354

EN 795
TYPE B

Protects against risks



Fall



LV102200

ANCHORAGE DEVICES

Fall protection

Standards - Details

Technical details

Type of equipment	Extension strap in high tenacity polyester with D-ring.
Composition of the main support	Steel, Polyester
Length (m)	2
Width (inch)	1.7685
Width (mm)	45
Color	Red
Lifespan from manufacturing (years)	10
Weight (kg)	0.39
Fall arrest work situations	Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)
Length (ft)	6.5616



LV102200

ANCHORAGE DEVICES

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV102200	Red	-	LV102200	3660348006477	13660348006474	15	1	5.54 kg	44.0 cm	28.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height