



Fall protection

TRA20

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, lightweight and easy to install for all types of work in confined spaces



Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining

Certifications and norms



EN 795
TYPE B

TS16415
3

Protects against risks



Fall



Fall protection

TRA20

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, lightweight and easy to install for all types of work in confined spaces

Standards - Details

Technical details

Type of equipment	Telescopic tripod
Anchoring device	Tripod
Composition of the main support	Aluminum
Max. length (m)	1,97
Min. length (m)	1,2
Color	Aluminium-coloured
Weight (kg)	15,3
Breaking Strength (Kn)	20
Wheelbase on ground (m)	1,89
Not included	TRA102 adjuster plate, TRA103 step
Maximum number of users	3
Fall arrest work situations	Rescue and evacuation, Vertical movement, confined space



Fall protection

TRA20

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, lightweight and easy to install for all types of work in confined spaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRA20	Aluminium-coloured	Adjustable	TRA20	3295249193119	13295249193116	1	1	19.0 kg	26.0 cm	27.0 cm	156.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height