



TW402 EH

CONSTRUCTION

Foot protection



Specific benefits



Comfort

- Dual-density outsole
- Ergonomically designed footwear for comfortable wear



Performance

- High stability ensured by the sole's grip properties
- Sole designed to withstand contact heat up to 300°C



Hygiene

- Removable insock for easy cleaning

Certifications and norms



ASTM F2413
ASTM F2413-18 I, C



TW402 EH

CONSTRUCTION

Foot protection

Standards - Details

Technical details

Shoe type	High-cut shoe
Outsole material	PU, Nitrile rubber
Anti-perforation insert	Metal free
Upper material	Leather
Upper finition material	Grain Leather
Safety toe-cap	Composite
Lining material	Textile
Lining material finition	Breathable
Footbed material	Textile
Footbed caracteristic	Shock-absorption
Outsole finition	Welded
Weight (g per shoe)	720



TW402 EH

CONSTRUCTION

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TW402EHNO38	Black	38	TW402 EH	3295249255596	13295249255593	5	1	8.6 kg	64.5 cm	26.0 cm	34.0 cm
TW402EHNO39	Black	39	TW402 EH	3295249255626	13295249255623	5	1	9.0 kg	64.5 cm	26.0 cm	34.0 cm
TW402EHNO40	Black	40	TW402 EH	3295249255633	13295249255630	5	1	9.0 kg	64.5 cm	30.0 cm	34.0 cm
TW402EHNO41	Black	41	TW402 EH	3295249255640	13295249255647	5	1	9.21 kg	64.5 cm	30.0 cm	34.0 cm
TW402EHNO42	Black	42	TW402 EH	3295249255657	13295249255654	5	1	9.54 kg	29.4 cm	61.6 cm	35.6 cm
TW402EHNO43	Black	43	TW402 EH	3295249255664	13295249255661	5	1	9.95 kg	32.8 cm	61.6 cm	33.8 cm
TW402EHNO44	Black	44	TW402 EH	3295249255671	13295249255678	5	1	10.24 kg	32.8 cm	61.6 cm	37.0 cm
TW402EHNO45	Black	45	TW402 EH	3295249255688	13295249255685	5	1	10.4 kg	69.5 cm	31.0 cm	37.0 cm
TW402EHNO46	Black	46	TW402 EH	3295249255695	13295249255692	5	1	10.89 kg	33.4 cm	62.2 cm	37.2 cm
TW402EHNO47	Black	47	TW402 EH	3295249255701	13295249255708	5	1	10.5 kg	72.0 cm	32.0 cm	37.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height