



Hand protection

CHEMSAFE VV835

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort of use and prolonged use against hydrocarbons



Specific benefits



Durability

- Longer service life thanks to a double coating for excellent abrasion resistance



Hygiene

- Latex-free to reduce the risk of allergies
- Nitrile means no risk of allergies for users



Performance

- The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
4 1 2 1 X



EN ISO 374-1
TYPE B
AJKL



EN ISO 374-5

Applications

- Public works
- Building
- Maintenance
- Chemical industry
- Automotive
- Oil & Gas (extraction)

Protects against risks



Biological



Wearing



Chemical



Particules



Hand protection

CHEMSAFE VV835

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort of use and prolonged use against hydrocarbons

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
J
K
L

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating level	Fully coated
Coating material	Nitrile
Coating finition	Grip-textured
Number of layer	Triple layer
Lining material	Synthetical textile
Thickness (mm)	1,15
Gauge	18
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach, Free latex, Vendor pack, Long cuff (>290mm)
Color	Green
Size	8, 9, 10, 11
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
60 pairs /box



Hand protection

CHEMSAFE VV835

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort of use and prolonged use against hydrocarbons

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Méthanol	A	67-56-1	3	60	18.5%
n-heptane	J	142-82-5	6	480	-5.7%
Hydroxyde de sodium 40%	K	1310-73-2	6	480	-13%
Acide sulfurique 96%	L	7664-93-9	3	60	39.3%



Safety gloves

CHEMSAFE VV835

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort of use and prolonged use against hydrocarbons

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV835VE08	Green	08	CHEMSAFE VV835	3295249202866	13295249202863	60	6	8.2 kg	37.2 cm	55.6 cm	22.2 cm
VV835VE09	Green	09	CHEMSAFE VV835	3295249202873	13295249202870	60	6	8.9 kg	37.0 cm	56.4 cm	22.0 cm
VV835VE10	Green	10	CHEMSAFE VV835	3295249202880	13295249202887	60	6	8.722 kg	37.0 cm	55.0 cm	22.2 cm
VV835VE11	Green	11	CHEMSAFE VV835	3295249202897	13295249202894	60	6	9.1 kg	36.6 cm	56.2 cm	22.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height