



Hand protection

VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry



Specific benefits



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- The high-performance HEATnocut fiber provides excellent abrasion and cut resistance
- The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
3 X 4 X C



EN 407
X 1 X X X X



ANSI/ISEA 105-2024
A3 X X

Protects against risks



Cutting



Wearing



Hand protection

VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Mechanical glove
Glove family	Knitted uncoated glove
Mechanical glove kind	Knitted
Weft yarn	HEATnocut
Gauge	10
Benefits element	Reach, Vendor pack
Color	Yellow-Grey
Size	7, 9, 10
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
120 pairs /box



Safety gloves

VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTC05GJ07	Yellow-Grey	07	VENICUTC05	3295249157227	13295249157224	120	12	10.7 kg	30.0 cm	65.0 cm	28.0 cm
VECUTC05GJ09	Yellow-Grey	09	VENICUTC05	3295249157234	13295249157231	120	12	12.0 kg	30.0 cm	65.0 cm	28.0 cm
VECUTC05GJ10	Yellow-Grey	10	VENICUTC05	3295249157241	13295249157248	120	12	12.6 kg	30.0 cm	65.0 cm	28.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height