



Hand protection

THRYM VV736

THERMAL COLD WORKS

Waterproof, multi-standard glove with a fine grip for intensive cold work



Specific benefits



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Temporary work

Certifications and norms



EN 388
2 2 3 1 B



EN 511
1
2
1



EN 407
X 2 X X X X

Protects against risks



Cold



Hand protection

THRYM VV736

THERMAL COLD WORKS

Waterproof, multi-standard glove with a fine grip for intensive cold work

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] BURNING BEHAVIOUR
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating level	Fully coated except wrist
Coating material	Latex
Coating finition	Grip-textured
Number of layer	Double Layer
Gauge	15
Benefits element	Reach, DMF free, Vendor pack, Phtalates free, Azo Free
Color	Blue-Black
Size	9, 10, 11
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
60 pairs /box



Safety gloves

THRYM VV736

THERMAL COLD WORKS

Waterproof, multi-standard glove with a fine grip for intensive cold work

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKV736T101BL09 [VV736BL09]	Blue-Black	09	THRYM VV736	3295249201265	13295249201262	60	12	7.776 kg	28.8 cm	64.4 cm	24.6 cm
GKV736T101BL10 [VV736BL10]	Blue-Black	10	THRYM VV736	3295249201272	13295249201279	60	12	8.0 kg	29.4 cm	66.8 cm	25.0 cm
GKV736T101BL11 [VV736BL11]	Blue-Black	11	THRYM VV736	3295249201289	13295249201286	60	12	8.6 kg	30.4 cm	66.0 cm	25.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height